



## **MagnaTrans™ PU Powder 60**

### **Adhesive melt powder**

**MagnaTrans™ PU Powder 60** is a melt powder adhesive for use with the **MagnaTrans Range**. Offering strong adhesion to garments and a 60°C washfastness when applied to fabrics.

### **Application**

**MagnaTrans PU Powder 60** is applied to the final layer of wet **Magnatrans Ink** or **Magnatrans Migration Blocker** prior to curing.

Once applied, cure the transfer for 1 minute at 140°C (284°F).

The finished transfer can be applied to the required substrate on a heat press at 160°C - 165°C (320°F - 329°F) for 12 seconds, 4-6 Bar pressure.

Once pressed, remove the transfer film from the substrate.

### **SPECIFICATION**



#### **FABRIC TYPES**

Cotton, Poly-Cotton Blends, Polyester\*



#### **CURE TEMPERATURE**

1 minute at 140°C (284°F)



#### **STORAGE**

In cool place properly closed:  
>5°C (40°F) <25°C (77°F)



#### **HEALTH & SAFETY**

MSDS available upon request



#### **CLEAN UP**

Wash using water and mild detergent

\* With the use of MagnaTrans Migration Blocker.

All information is given in good faith but without warranty. They do not release you from testing our products as to their suitability for the intended processes and uses.